

Appendix B

Predictor variable plots and grids

List of Figures

Figure B1. Temporal climate index predictors. Data sources and details are listed in Table 3	1
Figure B2. Predictor grids (2–km) for depth, slope (2–km and 10–km scales), and slope of slope (10–km scale). Data sources and details are listed in Table 3	2
Figure B3. Predictor grids (2–km) for curvature (10–km scale) and distance to land. Data sources and details are listed in Table 3	3
Figure B4. Seasonal predictor climatologies (2–km) for chlorophyll-a. Data sources and details are listed in Table 3	4
Figure B5. Seasonal predictor climatologies (2–km) for surface current velocity (u). Data sources and details are listed in Table 3	5
Figure B6. Seasonal predictor climatologies (2–km) for surface current velocity (v). Data sources and details are listed in Table 3	6
Figure B7. Seasonal predictor climatologies (2–km) for surface current divergence. Data sources and details are listed in Table 3	7
Figure B8. Seasonal predictor climatologies (2–km) for surface current vorticity. Data sources and details are listed in Table 3	8
Figure B9. Seasonal predictor climatologies (2–km) for anticyclonic eddy probability. Data sources and details are listed in Table 3	9
Figure B10. Seasonal predictor climatologies (2–km) for cyclonic eddy probability. Data sources and details are listed in Table 3	10
Figure B11. Seasonal predictor climatologies (2–km) for sea surface height. Data sources and details are listed in Table 3	11
Figure B12. Seasonal predictor climatologies (2–km) for sea surface height SD. Data sources and details are listed in Table 3	12
Figure B13. Seasonal predictor climatologies (2–km) for sea surface temperature. Data sources and details are listed in Table 3	13
Figure B14. Seasonal predictor climatologies (2–km) for sea surface temperature SD. Data sources and details are listed in Table 3	14
Figure B15. Seasonal predictor climatologies (2–km) for SST front probability. Data sources and details are listed in Table 3	15
Figure B16. Seasonal predictor climatologies (2–km) for turbidity. Data sources and details are listed in Table 3	16
Figure B17. Seasonal predictor climatologies (2–km) for Ekman upwelling. Data sources and details are listed in Table 3	17
Figure B18. Seasonal predictor climatologies (2–km) for wind stress (x). Data sources and details are listed in Table 3	18

Figure B19. Seasonal predictor climatologies (2–km) for wind stress (τ). Data sources and details are listed in Table 3	19
Figure B20. Seasonal predictor climatologies (2–km) for wind divergence. Data sources and details are listed in Table 3	20




Figure B1. Temporal climate index predictors. Data sources and details are listed in Table 3.




Figure B2. Predictor grids (2-km) for depth, slope (2-km and 10-km scales), and slope of slope (10-km scale). Data sources and details are listed in Table 3.




Figure B3. Predictor grids (2-km) for curvature (10-km scale) and distance to land. Data sources and details are listed in Table 3.




Figure B4. Seasonal predictor climatologies (2-km) for chlorophyll-a. Data sources and details are listed in Table 3.




Figure B5. Seasonal predictor climatologies (2-km) for surface current velocity (u). Data sources and details are listed in Table 3.




Figure B6. Seasonal predictor climatologies (2-km) for surface current velocity (v). Data sources and details are listed in Table 3.




Figure B7. Seasonal predictor climatologies (2-km) for surface current divergence. Data sources and details are listed in Table 3.




Figure B8. Seasonal predictor climatologies (2-km) for surface current vorticity. Data sources and details are listed in Table 3.




Figure B9. Seasonal predictor climatologies (2-km) for anticyclonic eddy probability. Data sources and details are listed in Table 3.




Figure B10. Seasonal predictor climatologies (2-km) for cyclonic eddy probability. Data sources and details are listed in Table 3.




Figure B11. Seasonal predictor climatologies (2-km) for sea surface height. Data sources and details are listed in Table 3.




Figure B12. Seasonal predictor climatologies (2-km) for sea surface height SD. Data sources and details are listed in Table 3.




Figure B13. Seasonal predictor climatologies (2-km) for sea surface temperature. Data sources and details are listed in Table 3.




Figure B14. Seasonal predictor climatologies (2-km) for sea surface temperature SD. Data sources and details are listed in Table 3.




Figure B15. Seasonal predictor climatologies (2-km) for SST front probability. Data sources and details are listed in Table 3.




Figure B16. Seasonal predictor climatologies (2-km) for turbidity. Data sources and details are listed in Table 3.




Figure B17. Seasonal predictor climatologies (2-km) for Ekman upwelling. Data sources and details are listed in Table 3.




Figure B18. Seasonal predictor climatologies (2-km) for wind stress (x). Data sources and details are listed in Table 3.




Figure B19. Seasonal predictor climatologies (2-km) for wind stress (y). Data sources and details are listed in Table 3.




Figure B20. Seasonal predictor climatologies (2-km) for wind divergence. Data sources and details are listed in Table 3.